

Safety Data Sheet dated 3/8/2020, version 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification:
Trade name: AQUA RED
Trade code: M167093K005000
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Textile printing lacquer
Uses advised against:
all uses not listed in the recommended
- 1.3. Details of the supplier of the safety data sheet
Company:
EPTAINKS SpA Socio Unico
Via A. De Gasperi 1
22070 Luisago (CO), Italy
tel: +390319090111
fax: +390319090153
Tel. +39-031-9090111 (8:00 - 17:00)
Competent person responsible for the safety data sheet:
safety@eptainks.com
- 1.4. Emergency telephone number
Tel. +39-031-9090111 (8:00 - 17:00)

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Adverse physicochemical, human health and environmental effects:
No other hazards
- 2.2. Label elements
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Hazard pictograms:
None
Hazard statements:
None
Precautionary statements:
None
Special Provisions:
EUH210 Safety data sheet available on request.
Contains
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one: May produce an allergic reaction.
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):
May produce an allergic reaction.
Special provisions according to Annex XVII of REACH and subsequent amendments:
None
- 2.3. Other hazards
vPvB Substances: None - PBT Substances: None
Other Hazards:
No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
7% - 10%	Polydimethylsiloxane	CAS: 63148-62-9	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
3% - 5%	Tristyrylphenol ethoxylate	CAS: 99734-09-5	4.1/C3 Aquatic Chronic 3 H412
1% - 3%	Hydrocarbons, C9-C11, n-alkanes, isoalka	EC: 918-481-9 REACH No.: 01-2119457273-39	⚠ 3.10/1 Asp. Tox. 1 H304 EUH066
0.25% - 0.5%	2-amino-2-methylpropanol	Index number: 603-070-00-6 CAS: 124-68-5 EC: 204-709-8 REACH No.: 01-2119475788-16	⚠ 3.3/2 Eye Irrit. 2 H319 ⚠ 3.2/2 Skin Irrit. 2 H315 4.1/C3 Aquatic Chronic 3 H412
0.01% - 0.05%	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	Index number: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9	⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 4.1/C2 Aquatic Chronic 2 H411 ⚠ 3.4.2/1 Skin Sens. 1 H317 ⚠ 3.3/1 Eye Dam. 1 H318 ⚠ 4.1/A1 Aquatic Acute 1 H400 ⚠ 3.1/4/Oral Acute Tox. 4 H302
< 0.01%	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Index number: 613-167-00-5 CAS: 55965-84-9	⚠ 3.1/2/Inhal Acute Tox. 2 H330 ⚠ 3.1/2/Dermal Acute Tox. 2 H310 ⚠ 3.1/3/Oral Acute Tox. 3 H301 ⚠ 3.2/1C Skin Corr. 1C H314 ⚠ 3.3/1 Eye Dam. 1 H318 ⚠ 3.4.2/1A Skin Sens. 1A H317 ⚠ 4.1/A1 Aquatic Acute 1 H400 M=100. ⚠ 4.1/C1 Aquatic Chronic 1 H410 M=100. EUH071

upper limit is not included into the range

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with skin:

Wash with plenty of water and soap.

Contact with eyes:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Swallowing:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended extinguishers:

Water, CO₂, Foam, Chemical powders, according to the materials involved in the fire.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.
7.3. Specific end use(s)
None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
No occupational exposure limit available
DNEL Exposure Limit Values
N.A.
PNEC Exposure Limit Values
N.A.

8.2. Exposure controls
Eye protection:
Eye glasses with side protection.
Protection for skin:
Chemical protection clothing.
Protection for hands:
Use chemical resistant gloves classified under standard EN 374
Respiratory protection:
Wear appropriate and homologated respiratory protection equipment when ventilation is inadequate
Thermal Hazards:
None
Environmental exposure controls:
None
Appropriate engineering controls:
None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid, red	--	--
Odour:	N.A.	--	--
Odour threshold:	N.A.	--	--
pH:	9	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	> 100 ° C	Regulation (EC) No. 440/2008, Annex, A.9	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	the product is liquid

Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	the product is a mixture
Vapour density:	N.A.	--	the product is a mixture
Relative density:	1.13 g/cm ³ 20°C	Regulation (EC) No. 440/2008, Annex, A.3	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	the product is a mixture
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	65s 6mm	ISO/DIN 2431 '84	--
Explosive properties:	N.A.	Regulation (EC) No. 440/2008, Annex, A.14	--
Oxidizing properties:	N.A.	Regulation (EC) No. 440/2008, Annex, A.17	--

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

- Stable under normal conditions
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Heat, flames, sparks
- 10.5. Incompatible materials
None in particular.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

AQUA RED

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Polydimethylsiloxane - CAS: 63148-62-9

a) acute toxicity:

Test: LD50 - Route: oral - Species: rat > 15.400 mg/kg

Test: LD50 - Route: dermal - Species: rabbit > 2.000 mg/kg

Tristyrylphenol ethoxylate - CAS: 99734-09-5

a) acute toxicity:

Test: LD50 - Route: oral - Species: rat > 2.000 mg/kg

Test: LD50 - Route: dermal > 2.000 mg/kg

Hydrocarbons, C9-C11, n-alkanes, isoalka

a) acute toxicity:

Test: LC50 - Route: inhalation - Species: rat > 5000 mg/m3 - Duration: 4h

- Test: LD50 - Route: oral - Species: rat > 5000 mg/kg
Test: LD50 - Route: dermal - Species: rabbit > 5000 mg/kg
2-amino-2-methylpropanol - CAS: 124-68-5
a) acute toxicity:
Test: LD50 - Route: oral - Species: rat 2900 mg/kg
Test: LD50 - Route: dermal - Species: rabbit > 2000 mg/kg
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
a) acute toxicity:
Test: LD50 - Route: oral - Species: rat 1020 mg/kg
Test: LD50 - Route: dermal - Species: rat > 5000 mg/kg
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9
a) acute toxicity:
Test: LD50 - Route: oral - Species: rat = 457 mg/kg
Test: LD50 - Route: dermal - Species: rabbit = 660 mg/kg
Test: LC50 - Route: inhalation - Species: rat = 0.31 mg/l - Duration: 4h

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

AQUA RED

Not classified for environmental hazards

Based on available data, the classification criteria are not met

Tristyrylphenol ethoxylate - CAS: 99734-09-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 21.6 mg/l - Duration h: 96

2-amino-2-methylpropanol - CAS: 124-68-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 190 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia 193 mg/l - Duration h: 48

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria 342.9 mg/l - Duration h: 3

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 2.44 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish 0.74 mg/l - Duration h: 96

Endpoint: EC50 - Species: Algae 0.37 mg/l - Duration h: 72

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.19 mg/l - Duration h: 96

Endpoint: EC50 - Species: Algae = 0.027 mg/l - Duration h: 72

Endpoint: EC50 - Species: Daphnia = 0.16 mg/l - Duration h: 48

12.2. Persistence and degradability

Polydimethylsiloxane - CAS: 63148-62-9

Biodegradability: 6

2-amino-2-methylpropanol - CAS: 124-68-5

Biodegradability: Readily biodegradable

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

Biodegradability: Persistent and Biodegradable

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

Biodegradability: Persistent and Biodegradable

12.3. Bioaccumulative potential

Polydimethylsiloxane - CAS: 63148-62-9

- Bioaccumulation: 6
- Tristyrylphenol ethoxylate - CAS: 99734-09-5
 - Bioaccumulation: 6
- 2-amino-2-methylpropanol - CAS: 124-68-5
 - Bioaccumulation: 2
- 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
 - Bioaccumulation: Not bioaccumulative
- reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9
 - Bioaccumulation: Not bioaccumulative
- 12.4. Mobility in soil
 - Polydimethylsiloxane - CAS: 63148-62-9
 - Mobility in soil: 4
 - Tristyrylphenol ethoxylate - CAS: 99734-09-5
 - Mobility in soil: 4
 - 2-amino-2-methylpropanol - CAS: 124-68-5
 - Mobility in soil: 4
- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects
 - None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
 - Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - N.A.
- 14.3. Transport hazard class(es)
 - N.A.
- 14.4. Packing group
 - N.A.
- 14.5. Environmental hazards
 - ADR-Environmental Pollutant: No
 - IMDG-Marine pollutant: No
- 14.6. Special precautions for user
 - N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
 - No

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Dir. 98/24/EC (Risks related to chemical agents at work)
 - Dir. 2000/39/EC (Occupational exposure limit values)
 - Regulation (EC) n. 1907/2006 (REACH)
 - Regulation (EC) n. 1272/2008 (CLP)
 - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 - Regulation (EU) 2015/830
 - Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

No restriction.

Pronto all'Uso

Volatile Organic compounds - VOCs = 1.10 %

Volatile Organic compounds - VOCs = 11.00 g/Kg

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 0.00

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H412 Harmful to aquatic life with long lasting effects.

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H302 Harmful if swallowed.

H330 Fatal if inhaled.

H310 Fatal in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification
SECTION 3: Composition/information on ingredients
SECTION 7: Handling and storage
SECTION 8: Exposure controls/personal protection
SECTION 9: Physical and chemical properties
SECTION 10: Stability and reactivity
SECTION 11: Toxicological information
SECTION 12: Ecological information
SECTION 15: Regulatory information
SECTION 16: Other information

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the

Safety Data Sheet
M167093K005000
AQUA RED

EPTAINKS

specific use intended.
This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE: Acute Toxicity Estimate
ATEmix: Acute toxicity Estimate (Mixtures)
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived No Effect Level.
EINECS: European Inventory of Existing Commercial Chemical Substances.
GefStoffVO: Ordinance on Hazardous Substances, Germany.
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.
KSt: Explosion coefficient.
LC50: Lethal concentration, for 50 percent of test population.
LD50: Lethal dose, for 50 percent of test population.
PNEC: Predicted No Effect Concentration.
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.